







Polycarbonate Multi-wall sheet Series



Item Name	Photos	Thickness (mm)	Weight (kg/m ²)	Standard size	Color
Polycarbonate Twin-wall sheet		4	0.90	2100 x 5800mm	Clear, Bronze, Blue, Green, Grey, Yellow, etc.
		5	1.15		
		6	1.30		
		8	1.50		
		10	1.70		
Polycarbonate Triple-wall sheet		8	1.80	2100 x 5800mm	Same as above
		10	2.00		
		12	2.20		
		14	2.40		
		16	2.70		
		20	3.30		
Polycarbonate Four-wall sheet		8	1.80	2100 x 5800mm	Same as above
		10	2.00		
		12	2.20		
		14	2.40		
		16	2.70		
Polycarbonate X-profile sheet		8	1.85	2100 x 5800mm	Same as above
		10	2.05		
		12	2.25		
		14	2.45		
		16	2.75		
Polycarbonate Frosted sheet		Same as above all			
Polycarbonate anti-fog sheet		Same as above all			Clear







Special Notes and Instructions

1. Price term: FOB Zhongshan Port, China by Ocean Shipping.
2. Payment term: T/T in advanced. 30% deposit before production, 70% balance before shipment.
3. packing: both sides covered with PE protective film, and the two ends sealed with PE sealing tape.
4. Color: Clear, Bronze, Green, Grass-green, Blue, Lake-blue, White, Grey, Yellow, Purple, Orange, etc.
5. MOQ: 1000m²/color/thickness for production, 1x20' container for shipment.
6. Delivery time: within 10-15 days.
7. Warranty: 10 years' warranty.

Above information is not an invoice and only an estimate of services/goods described above.
Payment will be collected in prior to provision of services/goods described in this quote.

Polycarbonate Solid & Embossed sheet Series



Item Name	Photos	Thickness (mm)	Weight (kg/m ²)	Standard size	Color
Polycarbonate solid sheet UV in side with raw material		1	1.20	Max. Width: 1.22m	Clear, Bronze, Blue, Green, Grey, Yellow, etc.
		1.2	1.44		
		1.5	1.80		
Polycarbonate solid sheet and Abrasive sheet UV in side with raw material		1.7	2.04	1.7-2mm: Max. width: 1.22m 2-5mm: Max. width: 1.56m 5-12mm: Max. width: 2.1m	Same as above
		2	2.40		
		3	3.60		
		4	4.80		
		5	6.00		
		6	7.20		
		8	9.60		
		10	12.00		
Polycarbonate solid Frostedsheet UV on one side		1.2	1.44	Max. Width: 1.22m	Same as above
		1.5	1.80		
Polycarbonate solid sheet and Frosted sheet UV on one side		1.7	2.04	1.7-2mm: Max. width: 1.22m 2-5mm: Max. width: 1.56m	Same as above
		2	2.40		
		3	3.60		
		4	4.80		
		5	6.00		
Polycarbonate Rain-drop Embossed sheet UV in side with raw material		2.3	2.45	Max. width: 2.1m No limit on length	Clear, Bronze, Blue, Green, Purple, Yellow, etc.
		2.5	2.69		
		2.7	2.93		
		3	3.29		
		4	4.49		
		5	5.69		
Polycarbonate Diamond shape Embossed sheet UV in side with raw material		2.7	3.00	Max. width: 2.1m No limit on length	Same as above
		3	3.35		
		4	4.55		
		5	5.75		
		6	6.95		
		7	8.15		
		8	9.35		

Special Notes and Instructions


- Price term: FOB Zhongshan Port, China by Ocean Shipping.
- Payment term: T/T in advanced. 30% deposit before production, 70% balance before shipment.
- packing: both sides covered with PE protective film, and the two ends sealed with PE sealing tape.
- Color: Clear, Bronze, Green, Grass-green, Blue, Lake-blue, White, Grey, Yellow, Purple, Orange, etc.
- MOQ: 1000m²/color/thickness for production, 1x20' container for shipment.
- Delivery time: within 10-15 days.
- Warranty: 10 years' warranty.

Above information is not an invoice and only an estimate of services/goods described above.
Payment will be collected in prior to provision of services/goods described in this quote.


Polycarbonate Corrugated sheet Series




Item Name	Photos	Thickness (mm)	Weight (kg/m)	Standard size	Color
Corrugated PC sheet U.V protective layer on one side (CODE: C840-210-26)		0.8	0.960	Overall width: 900mm Cover width: 840mm	Clear, Bronze, Blue, Green, Grey, Yellow, etc.
		1.0	1.200		
		1.2	1.440		
		1.5	1.800		
		2.0	2.400		




Corrugated PC sheet U.V protective layer on one side (CODE: Y830)		0.8	1.112	Overall width: 830mm	Same as above
		1.0	1.390		
		1.2	1.668		
		1.5	2.084		
		2.0	2.779		



Round wave Corrugated PC sheet U.V protective layer on one side (Y900)		0.8	0.893	Overall width: 840mm Cover width: 760mm	Same as above
		1.0	1.116		
		1.2	1.339		
		1.5	1.674		
		2.0	2.232		
Round wave Corrugated PC sheet U.V protective layer on one side (Y900)		0.8	1.018	Overall width: 960mm	Same as above
		1.0	1.272		
		1.2	1.526		
		1.5	1.908		
		2.0	2.544		
Round wave Corrugated PC sheet U.V protective layer on one side (Y900)		0.8	1.1664	Overall width: 1100mm	Same as above
		1.0	1.4580		
		1.2	1.7496		
		1.5	2.1870		
		2.0	2.9160		



Round wave Corrugated PC sheet U.V protective layer on one side (D1100)		0.8	1.1117	Overall width: 1100mm	Same as above
		1.0	1.3896		
		1.2	1.6675		
		1.5	2.0844		
		2.0	2.7792		



Special Notes and Instructions

1. Price term: FOB Zhongshan Port, China by Ocean Shipping.
2. Payment term: T/T in advanced. 30% deposit before production, 70% balance before shipment.
3. packing: both sides covered with PE protective film, and the two ends sealed with PE sealing tape.
4. Color: Clear, Bronze, Green, Grass-green, Blue, Lake-blue, White, Grey, Yellow, Purple, Orange, etc.
5. MOQ: 1000m²/color/thickness for production, 1x20' container for shipment.
6. Delivery time: within 10-15 days.
7. Warranty: 10 years' warranty.

Above information is not an invoice and only an estimate of services/goods described above.
Payment will be collected in prior to provision of services/goods described in this quote.

Polycarbonate Accessories Series



Item Name	Photos	Thickness (mm)	Weight (g/m)	Size (cm/package)	Quantity (pcs/pkg)	Quantity (pcs)	Color
Polycarbonate H Profile		4	85	16cm(W)x 7cm(H)	40		Clear, Bronze, blue, Green, etc.
		6	105	17cm(W)x 11cm(H)	40		
		8	147	13cm(W)x 12cm(H)	20		
		10	171	13cm(W)x 14cm(H)	20		
		14	350				
		16	400				
Polycarbonate U Profile		4-6	45	10cm(W)x 5cm(H)	40		Same as above
		8-10	65	12cm(W)x 9cm(H)	40		
		12	52				
Aluminium H Profile			1.0kg/pc	45mm(W) x 5mm(T) x 6m(L): with EPDM rubber			
			1.5kg/pc	50mm(W) x 5mm(T) x 6m(L): with EPDM rubber			
Aluminium U Profile			0.5kg/pc	30mm(W) x 15mm(H) x 6m(L): Small			
			1.1kg/pc	42mm(W) x 23mm(H) x 6m(L): Big			
Aluminium Cap & Bottom Profile			2.6kg/set	64mm(W) x 14mm(T) x 6m(L): Top cap 0.11m(W) x 0.16m(H) x 6m(L)	20		
				55mm(W) x 15mm(T) x 6m(L): bottom 0.1m(W) x 0.13m(H) x 6m(L)	20		
Aluminium Profile			0.8kg/pc	60mm(W) x 11mm(T) x 6m(L): Top cap 0.063m(W) x 0.12m(H) x 6m(L)	20		
			2.45kg/pc	60mm(W) x 3mm(T) x 6m(L): Bottom with EPDM rubber 0.063m(W) x 0.04m(H) x 6m(L)	10		
Screw (38mm)							
EPDM Screw Cap (φ25mm)							
Aluminium Screw Cap (φ28mm)							
Prevent Adhesive tape:				2mm(T) x 20mm(W) x 10m(L)			
				1.5mm(T) x 30mm(W) x 15m(L)			
				1mm(T) x 30mm(W) x 20m(L)			

Special Notes and Instructions










1. Price term: FOB Zhongshan Port, China by Ocean Shipping.
2. Payment term: T/T in advanced. 30% deposit before production, 70% balance before shipment.
3. packing: both sides covered with PE protective film, and the two ends sealed with PE sealing tape.
4. Color: Clear, Bronze, Green, Grass-green, Blue, Lake-blue, White, Grey, Yellow, Purple, Orange, etc.
5. MOQ: 1000m2/color/thickness for production, 1x20' container for shipment.
6. Delivery time: within 10-15 days.
7. Warranty: 10 years' warranty.

Total:

Above information is not an invoice and only an estimate of services/goods described above.
Payment will be collected in prior to provision of services/goods described in this quote.









Polycarbonate Awning Canopy



Awning size Span x Width (mm)	PC sheet size Length x Width (mm)	PC sheet & Accessoires	Quantity	Picture	Carton Size (TxLxW)	Weight (g)
600mm Series:						
600 x 600	600 x 600	Solid PC sheet: 2.5~3mm	1pc	Solid sheet	70x640x640mm	
	Plastic Bracket: Grey/Black	2pcs		507		
	Aluminum profile: Small	0.6m		136		
	Self-tapping screw	4pcs				
	Rubber / Aluminium foil	2.4m				
	Carton + Bracket Carton	1pc		Embossed sheet		682
Total: one completed set						
600 x 800	600 x 800	Solid PC sheet: 2.5~3mm	1pc	Twin-wall sheet	70x640x840mm	
	Twin-wall sheet : 4~5.5mm	1pc				
	Plastic Bracket: Grey/Black	2pcs	Twin-wall sheet	507		
	Aluminum profile: Big	0.8m		181		
	Self-tapping screw	4pcs				
	Rubber / Aluminium foil	2.8m				
Carton + Bracket Carton	1pc			896		
Total: one completed set				Plastic Bracket		
600 x 1200	600 x 1200	Solid PC sheet: 2.5~3mm	1pc	Twin-wall sheet	70x640x1240mm	
	Twin-wall sheet : 4~5.5mm	1pc				
	Plastic Bracket: Grey/Black	2pcs		507		
	Aluminum profile: Big	1.2m		Aluminum profile		271
	Self-tapping screw	4pcs				
	Rubber / Aluminium foil	3.6m				
Carton + Bracket Carton	1pc			1,322		
Total: one completed set						
600 x 1600	600 x 1600	Solid PC sheet: 2.5~3mm	1pc	Self-tapping screw	70x640x1640m m	
	Twin-wall sheet : 4~5.5mm	1pc		507		
	Plastic Bracket: Grey/Black	2pcs				
	Aluminum profile: Big	1.6m		362		
	Self-tapping screw	4pcs		Rubber		
	Rubber / Aluminium foil	4.4m				
Carton + Bracket Carton	1pc		1,749			
Total: one completed set						
Remark: 1. price term: FOB Zhongshan,China.						
2. Payment term: T/T in advanced.30% deposit before produciton,70% balance						
3.Solid/Embossed sheet: 2.5-5mm of thickness, Around covered rubber.						
4.Twin-wall sheet: Around covered with vapor barrier tape,no need rubber.						

Polycarbonate Awning Canopy



Awning size Span x Width (mm)	PC sheet size Length x Width (mm)	PC sheet & Accessoires	Quantity	Picture	Carton Size (TxLxW)	Weight (g)
800mm Series:						
800 x 800 	745 x 800	Solid PC sheet: 2.5~5mm	1pc	Solid sheet	70x785x840mm	633 310 1,099
		Twin-wall sheet : 4~5.5mm	1pc			
		Plastic Bracket: Grey/Black	2pcs			
		Aluminum profile: Big	0.8m			
		Self-tapping screw	4pcs			
		Rubber / Aluminium foil	3.2m			
		Carton + Bracket Carton	1pc			
Total: one completed set						
800 x 1000 	745 x 1000	Solid PC sheet: 2.5~5mm	1pc	Twin-wall sheet 	70x785x1040mm	633 388 1,360
		Twin-wall sheet : 4~5.5mm	1pc			
		Plastic Bracket: Grey/Black	2pcs			
		Aluminum profile: Big	1m			
		Self-tapping screw	4pcs			
		Rubber	3.6m			
		Carton + Bracket Carton	1pc			
Total: one completed set						
800 x 1200 	745 x 1200	Solid PC sheet: 2.5~5mm	1pc	Aluminum profile 	70x785x1240mm	633 466 1,622
		Twin-wall sheet : 4~5.5mm	1pc			
		Plastic Bracket: Grey/Black	2pcs			
		Aluminum profile: Big	1.2m			
		Self-tapping screw	4pcs			
		Rubber / Aluminium foil	4m			
		Carton + Bracket Carton	1pc			
Total: one completed set						
800 x 1500 	745 x 1500	Solid PC sheet: 2.5~5mm	1pc	Rubber 	70x785x1540mm	633 582 2,014
		Twin-wall sheet : 4~5.5mm	1pc			
		Plastic Bracket: Grey/Black	2pcs			
		Aluminum profile: Big	1.5m			
		Self-tapping screw	4pcs			
		Rubber / Aluminium foil	4.6m			
		Carton + Bracket Carton	1pc			
Total: one completed set						
Remark: 1. price term: FOB Zhongshan,China.						
2. Payment term: T/T in advanced.30% deposit before produciton,70% balance						
3.Solid/Embossed sheet: 2.5-5mm of thickness, Around covered rubber.						
4.Twin-wall sheet: Around covered with vapor barrier tape,no need rubber.						

Polycarbonate Awning Canopy



Awning size Span x Width (mm)	PC sheet size Length x Width (mm)	PC sheet & Accessoires	Quantity	Picture	Carton Size (TxLxW)	Weight (g)
1000mm Series:						
1000 x 1000	975 x 1000	Solid PC sheet: 2.5~5mm	1pc	Solid sheet	70x1015x1040mm	
		Twin-wall sheet : 4~5.5mm	1pc			
		Plastic Bracket: Grey/Black	2pcs			
		Aluminum profile: Big	1m	388		
		Self-tapping screw	4pcs			
		Rubber / Aluminium foil	4m			
		Carton + Bracket Carton	1pc	1,759		
Total: one completed set						
1000 x 1200	975 x 1200	Solid PC sheet: 2.5~5mm	1pc		70x1015x1240mm	
		Twin-wall sheet : 4~5.5mm	1pc			
		Plastic Bracket: Grey/Black	2pcs	Twin-wall sheet		911
		Aluminum profile: Big	1.2m			466
		Self-tapping screw	4pcs			
		Rubber / Aluminium foil	4.4m			
		Carton + Bracket Carton	1pc			2,097
Total: one completed set						
1000 x 1500	975 x 1500	Solid PC sheet: 2.5~5mm	1pc		70x1015x1540mm	5,265
		Twin-wall sheet : 4~5.5mm	1pc			
		Plastic Bracket: Grey/Black	2pcs			911
		Aluminum profile: Big	1.5m			582
		Self-tapping screw	4pcs			
		Rubber / Aluminium foil	5m			
		Carton + Bracket Carton	1pc			2,604
Total: one completed set						
1000 x 2000	975 x 2000	Solid PC sheet: 2.5~5mm	1pc	Self-tapping screw	70x1015x2040mm	
		Twin-wall sheet : 4~5.5mm	1pc			
		Plastic Bracket: Grey/Black	2pcs			
		Aluminum profile: Big	2m	776		
		Self-tapping screw	4pcs			
		Rubber / Aluminium foil	6m			
		Carton + Bracket Carton	1pc	3,450		
Total: one completed set						
Remark: 1. price term: FOB Zhongshan,China.						
2. Payment term: T/T in advanced.30% deposit before produciton,70% balance						
3.Solid/Embossed sheet: 2.5-5mm of thickness, Around covered rubber.						
4.Twin-wall sheet: Around covered with vapor barrier tape,no need rubber.						

Polycarbonate Awning Canopy



Awning size Span x Width (mm)	PC sheet size Length x Width (mm)	PC sheet & Accessoires	Quantity	Picture	Carton Size (TxLxW)	Weight (g)
1200mm Series:						
1200 x 1000 	1195 x 1000	Solid PC sheet: 2.5~5mm	1pc	Solid sheet	70x1235x1040mm	
		Twin-wall sheet : 4~5.5mm	1pc			
		Plastic Bracket: Grey/Black	2pcs			388
		Aluminum profile: Big	1m			2,140
		Self-tapping screw	4pcs			
		Rubber / Aluminium foil	4.4m			
		Carton + Bracket Carton	1pc			
Total: one completed set						
1200 x 1200 	1195 x 1200	Solid PC sheet: 2.5~5mm	1pc		70x1235x1240mm	
		Twin-wall sheet : 4~5.5mm	1pc			
		Plastic Bracket: Grey/Black	2pcs	466		
		Aluminum profile: Big	1.2m			2,551
		Self-tapping screw	4pcs			
		Rubber / Aluminium foil	4.8m			
		Carton + Bracket Carton	1pc			
Total: one completed set						
1200 x 1500 	1195 x 1500	Solid PC sheet: 2.5~5mm	1pc		70x1235x1540mm	
		Twin-wall sheet : 4~5.5mm	1pc			
		Plastic Bracket: Grey/Black	2pcs	582		
		Aluminum profile: Big	1.5m			3,169
		Self-tapping screw	4pcs			
		Rubber / Aluminium foil	5.4m			
		Carton + Bracket Carton	1pc			
Total: one completed set						
1200 x 2000 	1195 x 2000	Solid PC sheet: 2.5~5mm	1pc	Self-tapping	70x1235x2040mm	
		Twin-wall sheet : 4~5.5mm	1pc			
		Plastic Bracket: Grey/Black	2pcs	776		
		Aluminum profile: Big	2m			4,197
		Self-tapping screw	4pcs			
		Rubber / Aluminium foil	6.4m			
		Carton + Bracket Carton	1pc			
Total: one completed set						
Remark: 1. price term: FOB Zhongshan,China.						
2. Payment term: T/T in advanced.30% deposit before produciton,70% balance						
3.Solid/Embossed sheet: 2.5-5mm of thickness, Around covered rubber.						
4.Twin-wall sheet: Around covered with vapor barrier tape,no need rubber.						

Polycarbonate Awning Canopy

Awning size Span x Width (mm)	PC sheet size Length x Width (mm)	PC sheet & Accessoires	Quantity	Picture	Carton Size (TxLxW)	Weight (g)
1500mm Series:						
1500 x 1000	1425 x 1000	Solid PC sheet: 2.5~5mm	1pc	Solid sheet	75x1465x1040mm	
		Twin-wall sheet : 4~5.5mm	1pc			
		Plastic Bracket: Grey/Black	2pcs			
		Aluminum profile: Big	1m			
		Self-tapping screw	4pcs			
		Rubber / Aluminium foil	5m			
		Carton + Bracket Carton	1pc			
Total: one completed set						
1500 x 1200	1425 x 1200	Solid PC sheet: 2.5~5mm	1pc		75x1465x1240mm	
		Twin-wall sheet : 4~5.5mm	1pc			
		Plastic Bracket: Grey/Black	2pcs			466
		Aluminum profile: Big	1.2m			
		Self-tapping screw	4pcs			
		Rubber / Aluminium foil	5.4m			
		Carton + Bracket Carton	1pc			
Total: one completed set						
1500 x 1500	1425 x 1500	Solid PC sheet: 2.5~5mm	1pc		75x1465x1540mm	
		Twin-wall sheet : 4~5.5mm	1pc			
		Plastic Bracket: Grey/Black	2pcs			582
		Aluminum profile: Big	1.5m			
		Self-tapping screw	4pcs			
		Rubber / Aluminium foil	6m			
		Carton + Bracket Carton	1pc			
Total: one completed set						
1500 x 2000	1425 x 2000	Solid PC sheet: 2.5~5mm	1pc		75x1465x2040mm	
		Twin-wall sheet : 4~5.5mm	1pc			
		Plastic Bracket: Grey/Black	2pcs			776
		Aluminum profile: Big	2m			
		Self-tapping screw	4pcs			
		Rubber / Aluminium foil	7m			
		Carton + Bracket Carton	1pc			
Total: one completed set						
Remark: 1. price term: FOB Zhongshan,China.						
2. Payment term: T/T in advanced.30% deposit before produciton,70% balance						
3.Solid/Embossed sheet: 2.5-5mm of thickness, Around covered rubber.						
4.Twin-wall sheet: Around covered with vapor barrier tape,no need rubber.						